



**SAFETY DATA SHEET  
QUICSEAL 103  
ACRYLFLEX**

**1. IDENTIFICATION OF THE PRODUCT AND THE SUPPLIER**

Product Name: QUICSEAL 103 – Acrylflex  
Product Use: Liquid-applied waterproofing membrane

Details of the supplier:

*QUICSEAL CONSTRUCTION CHEMICALS PTE LTD  
No. 7 Eunos Avenue 8A  
Eunos Industrial Estate  
Singapore 409460*

Emergency Telephone No.: (65) 6742 4466

**2. HAZARDS IDENTIFICATION**

**GHS Classification**

This product is not classified as hazardous according to GHS criteria.

**GHS Label Elements and Precautionary Statements**

This product does not require a hazard warning label in accordance with GHS criteria.

**Other hazards which do not result in classification**

No specific dangers known, if the regulation/notes for storage and handling are considered. May be irritating to eyes and respiratory tract in a closed confined area. No chronic hazard is expected when good industrial and personal hygiene is practiced.

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

This product contains components that are not classified as hazardous as part of this mixture according to the GHS criteria (hazards rendered ineffective due to nature of mixture and/or too low concentrations).

**4. FIRST-AID MEASURES**

**General advice**

Remove contaminated clothing.

**Eye Contact**

In case of contact with eyes, immediately flush with clean, low-pressure water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Seek medical attention.

**Skin Contact**

Remove contaminated clothing. Wash contaminated areas thoroughly with soap and water or with waterless hand cleanser. Obtain medical attention if irritation or redness develops.

**QUICSEAL CONSTRUCTION CHEMICALS PTE LTD**

No. 7 Eunos Avenue 8A Eunos Industrial Estate Singapore 409460 Tel: (65) 6742 4466 Fax: (65) 6741 4666

Website: [www.quicseal.com](http://www.quicseal.com) Co.Reg. No.: 198201286W



**Inhalation**

Remove person to fresh air. If person is not breathing, provide artificial respiration. If necessary, provide additional oxygen once breathing is restored if trained to do so. Seek medical attention immediately.

**Ingestion**

DO NOT INDUCE VOMITING. Do not give liquids. Obtain immediate medical attention. If spontaneous vomiting occurs, lean victim forward to reduce the risk of aspiration. Monitor for breathing difficulties. Small amounts of material which enter the mouth should be rinsed out until the taste is dissipated.

**5. FIRE-FIGHTING MEASURES****General Fire Hazards**

The product is non-flammable (water-borne system). If material is involved in fire, do not breathe fumes.

**Suitable Fire-extinguishing Media**

Water, foam, BCF, dry powder.

**Unsuitable Fire-extinguishing Media**

None.

**Precaution**

Water may be used to prevent pressure build-up in a closed container

**6. ACCIDENTAL RELEASE MEASURES****Personal Precautions and Protective equipment**

Avoid contact; gloves, goggles, and safety equipment should be used when handling chemicals.

**Environmental Precautions**

Do not release wet material into water sources. Dried material is environment-friendly.

**Methods and materials for containment and cleaning up**

Absorb spillage with absorbent materials such as sand, sawdust, paper, and straw. Allow to dry before disposing in landfill or incinerator

**7. HANDLING AND STORAGE****Precautions for safe handling**

Handle in accordance to good industrial hygiene and safety practices (i.e. gloves, goggles, and safety equipment should be used when handling chemicals; do not eat, drink, smoke when handling product). Wash hand thoroughly before eating and drinking. Any accidental contact with the product must be washed with clean water.

**Conditions for safe storage, including any incompatibilities**

Store product protected from freezing and away from direct sunlight.

**QUICSEAL CONSTRUCTION CHEMICALS PTE LTD**

No. 7 Eunos Avenue 8A Eunos Industrial Estate Singapore 409460 Tel: (65) 6742 4466 Fax: (65) 6741 4666

Website: [www.quicseal.com](http://www.quicseal.com) Co.Reg. No.: 198201286W



## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

### Control parameters / Occupational Exposure Limits

This product does not contain components which have relevant occupational exposure limits.

### Appropriate engineering measures

There are no relevant exposure control measures necessary for this product.

### Personal protective equipment

#### Respiratory protection

Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator as needed.

#### Hand protection

Suitable chemical resistant gloves (EN 374) also with prolonged, direct contact  
Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374: E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm).

#### Eye protection

Safety goggles with side shield (frame goggles) (e.g. EN 166)

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Thixotropic liquid
Color:	Various colors depending on specific product variant
Flash Point:	Not flammable (water-borne system)
Boiling Point:	100°C
Flammability Limits:	None allocated
Water Solubility:	Soluble in water
Solid Content:	approx. 62%
Viscosity at 25°C:	80 – 125 dPa·s
Specific Gravity:	Approx. 1.30

## 10. STABILITY AND REACTIVITY

### Stability

The product is stable in normal conditions of use and storage. However, avoid extreme temperatures which can cause polymer decomposition.

### Possibility of hazardous reactions

No hazardous reactions are foreseeable under normal conditions of use and storage.

### Incompatible materials

No substances known that should be avoided.

### Hazardous decomposition products

No hazardous decomposition products are expected if stored and handled as prescribed/indicated. In cases of unavoidable circumstances (e.g. fire), thermal decomposition may yield acrylic monomers.

## QUICSEAL CONSTRUCTION CHEMICALS PTE LTD

No. 7 Eunos Avenue 8A Eunos Industrial Estate Singapore 409460 Tel: (65) 6742 4466 Fax: (65) 6741 4666

Website: [www.quicseal.com](http://www.quicseal.com) Co.Reg. No.: 198201286W



## 11. TOXICOLOGICAL INFORMATION

This product has not been tested and all the toxicological statements have been derived from the respective components' available toxicity information.

### Acute toxicity

Experimental/calculated data:

LD50, oral: > 5,000 mg/kg (the product is not toxic/harmful if swallowed.)

LD50, dermal: > 5,000 mg/kg (the product is not toxic/harmful in contact with skin)

LC50, inhalation: > 20 mg/L (the product is not toxic/harmful if inhaled)

### Skin and Eye Corrosion / Irritation

This product is not expected to cause skin or eye irritation.

### Respiratory / Skin sensitization

The product is not expected to cause allergic skin reactions or respiratory sensitization.

### Germ cell mutagenicity / Carcinogenicity / Reproductive toxicity / Developmental toxicity

Based on the assessment of available information, the product is: not mutagenic in bacteria; has no known carcinogenic effect; and not expected to cause reproductive and developmental toxicity.

### Specific target organ toxicity (single and repeated exposure)

Based on the available information, there is no specific target organ toxicity expected after a single or repeated exposure to the product.

## 12. ECOLOGICAL INFORMATION

The following ecological assessment is based on the available ecotoxicity information of the product's components.

### Ecotoxicity

This product is not expected to be toxic to aquatic life based on the toxicity values to the following aquatic organisms:

Fish: LC50 (96h) > 200 mg/l, *Brachydanio rerio* (OECD Guideline 203, static)

Aquatic invertebrates: EC50 (48h) > 200 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

Aquatic plants: LC50 (72h) > 200 mg/l, *Scenedesmus subspicatus* (OECD Guideline 201)

### Additional information

Do not release product untreated into natural waters. At the present knowledge of the product, no negative ecological effects are expected.

## 13. DISPOSAL CONSIDERATIONS

### Disposal of container

Allow liquid to dry in the container. Peel-off dried material and dispose. The container may be used for other function after thorough washing.

### Disposal of material

Dried material can be disposed off in authorized landfill site in accordance to national regulations.

## QUICSEAL CONSTRUCTION CHEMICALS PTE LTD

No. 7 Eunos Avenue 8A Eunos Industrial Estate Singapore 409460 Tel: (65) 6742 4466 Fax: (65) 6741 4666

Website: [www.quicseal.com](http://www.quicseal.com) Co.Reg. No.: 198201286W



#### 14. TRANSPORT INFORMATION

This product is classified as NON-HAZARDOUS under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

#### 15. REGULATORY INFORMATION

##### Labelling requirements according to EEC Directives

This product is not subject to labeling in accordance with EEC Directives.

##### National legislation/regulations

According to the data available to us, the product is not hazardous under the relevant Singapore Legislation.

#### 16. OTHER INFORMATION

The information and data contained herein are believed to be accurate and reliable; however, it is the user's responsibility to determine suitability of use. Since QUICSEAL Construction Chemicals Pte. Ltd. cannot know all of the uses to which its products may be put or the conditions of use; it makes no warranties concerning the fitness or suitability of its products for a particular use of purpose.

### QUICSEAL CONSTRUCTION CHEMICALS PTE LTD

No. 7 Eunos Avenue 8A Eunos Industrial Estate Singapore 409460 Tel: (65) 6742 4466 Fax: (65) 6741 4666

Website: [www.quicseal.com](http://www.quicseal.com) Co.Reg. No.: 198201286W

