



**SAFETY DATA SHEET  
QUICSEAL 124  
QUICKOTE**

**1. INFORMATION OF THE SUBSTANCE/COMPOUND AND THE SUPPLIER**

Product Name: QUICSEAL 124 – Quickote  
Product Use: Liquid waterproofing membrane

Details of the supplier:

*QUICSEAL CONSTRUCTION CHEMICALS PTE LTD  
No. 7 Eunos Avenue 8A  
Eunos Industrial Estate  
Singapore 409460*

Telephone No. : (65) 6742 4466  
Fax No. : (65) 6741 4666

**2. HAZARDS IDENTIFICATION**

**GHS Classification**

This product is not classified as hazardous according to GHS criteria.

**GHS Label Elements and Precautionary Statements**

This product does not require a hazard warning label in accordance with GHS criteria.

**Other hazards which do not result in classification**

No specific dangers known, if the regulation/notes for storage and handling are considered. May be irritating to eyes and respiratory tract in a closed confined area. No chronic hazard is expected when good industrial and personal hygiene is practiced.

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

This product contains components that are not classified as hazardous as part of this mixture according to the GHS criteria (hazards rendered ineffective due to nature of mixture and/or too low concentrations).

**4. FIRST-AID MEASURES**

**Eye Contact**

In case of contact with eyes, immediately flush with clean, low-pressure water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Seek medical attention.

**Skin Contact**

Remove contaminated clothing. Wash contaminated areas thoroughly with soap and water or with waterless hand cleanser. Obtain medical attention if irritation or redness develops.

**QUICSEAL CONSTRUCTION CHEMICALS PTE LTD**

No. 7 Eunos Avenue 8A Eunos Industrial Estate Singapore 409460 Tel: (65) 6742 4466 Fax: (65) 6741 4666

Website: [www.quicseal.com](http://www.quicseal.com) Co.Reg. No.: 198201286W



**Inhalation**

Remove person to fresh air. If person is not breathing, provide artificial respiration. If necessary, provide additional oxygen once breathing is restored if trained to do so. Seek medical attention immediately.

**Ingestion**

DO NOT INDUCE VOMITING. Do not give liquids. Obtain immediate medical attention. If spontaneous vomiting occurs, lean victim forward to reduce the risk of aspiration. Monitor for breathing difficulties. Small amounts of material which enter the mouth should be rinsed out until the taste is dissipated.

**5. FIRE-FIGHTING MEASURES****General Fire Hazards**

The product is non-flammable (water-borne system). If material is involved in fire, do not breathe fumes.

**Suitable Fire-extinguishing Media**

Water, foam, BCF, dry powder.

**Unsuitable Fire-extinguishing Media**

None.

**Precaution**

Water may be used to prevent pressure build-up in a closed container

**6. ACCIDENTAL RELEASE MEASURES****Personal Precautions and Protective equipment**

Avoid contact; gloves, goggles, and safety equipment should be used when handling chemicals.

**Environmental Precautions**

Do not release wet material into water sources. Dried material is environment-friendly.

**Methods and materials for containment and cleaning up**

Absorb spillage with absorbent materials such as sand, sawdust, paper, and straw. Allow to dry before disposing in landfill or incinerator

**7. HANDLING AND STORAGE****Handling**

Under normal use, the product will not exhibit health hazard. Good hygiene practice must be observed i.e. gloves, goggles, and safety equipment should be used when handling chemicals. Wash hand thoroughly before eating and drinking. Any accidental contact with the product must be washed with clean water.

**Storage**

Store away from direct sunlight.

**QUICSEAL CONSTRUCTION CHEMICALS PTE LTD**

No. 7 Eunos Avenue 8A Eunos Industrial Estate Singapore 409460 Tel: (65) 6742 4466 Fax: (65) 6741 4666

Website: [www.quicseal.com](http://www.quicseal.com) Co.Reg. No.: 198201286W



## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

### Exposure Controls

Use in well-ventilated area.

### Personal Protection

When spray-applied, use gloves and face shield.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Colored medium viscosity liquid
Flash Point:	Not flammable (water-borne system)
Boiling Point:	100°C
Melting Point:	Not Applicable
Oxidising Properties:	Not Applicable
Flammability Limits:	None allocated
Water Solubility:	Soluble in water
Solid Content:	approx. 75%
Viscosity at 23°C:	80-100 dPa.s
Specific Gravity:	approx. 1.4 g/cm <sup>3</sup>

## 10. STABILITY AND REACTIVITY

### Stability

The product is stable in normal conditions of use and storage. However, avoid temperatures above 177°C/350°C, the onset of polymer decomposition.

### Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

### Incompatible materials

None known.

### Hazardous decomposition products

Thermal Decomposition may yield acrylic monomers.

### Hazardous polymerisation

The product will not undergo polymerisation

## 11. TOXICOLOGICAL INFORMATION

### Toxicity

The product is non-toxic, but may cause irritation to eyes and respiratory tract in a closed confined area.

## QUICSEAL CONSTRUCTION CHEMICALS PTE LTD

No. 7 Eunos Avenue 8A Eunos Industrial Estate Singapore 409460 Tel: (65) 6742 4466 Fax: (65) 6741 4666

Website: [www.quicseal.com](http://www.quicseal.com) Co.Reg. No.: 198201286W



## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Dried material will not harm the environment. Do not release into environment without coalescing. Salt or seawater will cause coalescing.

## 13. DISPOSAL CONSIDERATIONS

### Disposal of container

Allow liquid to dry in the container. Peel-off dried material and dispose. The container may be used for other function after thorough washing.

### Disposal of material

Dried material can be disposed off in authorized landfill site.

## 14. TRANSPORT INFORMATION

This product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

## 15. REGULATORY INFORMATION

### Labelling requirements according to EEC Directives

This product is not subject to labeling in accordance with EEC Directives.

Handle in accordance with good industrial hygiene and safety practice.

### National legislation/regulations

According to the data available to us, the product is not hazardous under the relevant Singapore Legislation.

## 16. OTHER INFORMATION

The information and data contained herein are believed to be accurate and reliable; however, it is the user's responsibility to determine suitability of use. Since QUICSEAL Construction Chemicals Pte. Ltd. cannot know all of the uses to which its products may be put or the conditions of use; it makes no warranties concerning the fitness or suitability of its products for a particular use of purpose.

## QUICSEAL CONSTRUCTION CHEMICALS PTE LTD

No. 7 Eunos Avenue 8A Eunos Industrial Estate Singapore 409460 Tel: (65) 6742 4466 Fax: (65) 6741 4666

Website: [www.quicseal.com](http://www.quicseal.com) Co.Reg. No.: 198201286W

